

CommercialComplete™ WALL SYSTEMS



Visit Division7.OwensCorning.com
to view our Division 7
Thermal & Moisture Protection eBook!

COMPLETE
PERFORMANCE.

COMPLETE SOLUTION.

COMMERCIALCOMPLETE™

WALL SYSTEMS.

Owens Corning™ CommercialComplete™ Wall Systems

are a variety of exterior wall system solutions that provide outstanding energy efficiency coupled with complete air and water barrier performance, as well as fire, structural and acoustical performance qualities. Insulation product solutions range from FOAMULAR® extruded polystyrene (XPS) insulation, Thermafiber® Mineral Wool Insulation and EcoTouch® PINK® FIBERGLAS™ insulation for many types of commercial construction, to several types of FIBERGLAS™ insulation for metal buildings.


Utilizing these products you can build a complete thermal, moisture and air barrier wall system solution.

ECOTOUCH® FLAME SPREAD 25 INSULATION
(25 flame spread facer for exposed use or for Types I or II construction)

ECOTOUCH® PINK® FIBERGLAS™
INSULATION (unfaced)

FOAMULAR® 250 XPS
continuous insulation

 THERMOMASS SYSTEM SC
or THERMOMASS SYSTEM NC



The **CommercialComplete™ Wall Systems** portfolio includes:


- Steel Stud and Masonry Veneer with FOAMULAR® XPS, EcoTouch® PINK® FIBERGLAS™ Insulation and JointSealR® Foam Joint Tape or use Thermafiber® Mineral Wool RainBarrier® as continuous insulation behind metal cladding.
- Wood Stud with FOAMULAR® XPS Insulation, EcoTouch® PINK® FIBERGLAS™ Insulation and JointSealR® Foam Joint Tape
- Masonry Cavity Wall with FOAMULAR® XPS Insulation
- Interior Furring with FOAMULAR® XPS Insulation
- Curtainwall with CW 225 FIBERGLAS™ Insulation or Thermafiber® Mineral Wool fire containment, safig, sound, thermal and continuous insulation.
- Insulated Concrete Sandwich Panel, including tilt-up, pre-cast and cast-in-place, with structural non-composite or composite action wall tie options with FOAMULAR® XPS and EcoTouch® PINK® FIBERGLAS™ Insulation
- Exterior Insulation Finish System (EIFS) with FOAMULAR® XPS Insulation
- Metal Building with EcoTouch® Metal Building FIBERGLAS™ Insulation

ECOTOUCH® FLAME SPREAD 25 INSULATION
(25 flame spread facer for exposed use or for Types I or II construction)

ECOTOUCH® PINK® FIBERGLAS™
INSULATION (unfaced)

FOAMULAR® 250 XPS
continuous insulating sheathing
(directly over steel studs or
over exterior gypsum sheathing)


JOINTSEALR® FOAM JOINT TAPE
(optional joint seal)




Brick, CMU, Stone, or Terra-Cotta Veneer over Steel Stud Framing

Owens Corning™ CommercialComplete™ Wall Systems insulation product solutions used in standard construction provide critical wall system performance qualities such as:


- Continuous Insulation
- Thermal Efficiency
- Air & Water Resistance
- Vapor Resistance
- Water Drainage
- Indoor Air Quality
- Acoustics
- Fire Resistance Ratings




Brick, CMU, Stone, or Terra-Cotta Veneer over CMU




Wood Stud Framing




PM EIFS over Steel Stud Framing or CMU (EIFS system by others)




Insulated Concrete Sandwich Panel, Cast-in-Place



Insulated Concrete Sandwich Panel, Tilt-Up



Masonry Wall with Wood Furring



Masonry Wall with Z-Furring

FOR MORE INFORMATION ON THE OWENS CORNING FAMILY OF BUILDING PRODUCTS,
CONTACT YOUR OWENS CORNING DEALER, CALL 1-800-GET-PINK® OR ACCESS OUR
WEB SITES: WWW.OCBUILDINGSPEC.COM AND WWW.OWENSCORNING.COM.

Disclaimer of Liability

Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Owens Corning makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein. Nothing contained in this bulletin shall be considered a recommendation.

All trademarks are the property of their respective owners.



OWENS CORNING FOAM INSULATION, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659
1-800-GET-PINK®
www.owenscorning.com

Pub. No. 10017302-A. Printed in U.S.A. November 2013. THE PINK PANTHER® & ©1964-2013 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2013 Owens Corning. All Rights Reserved.

