

KOMELON®

USA Division

PRODUCT CATALOG

Vol.12



KOMELON SAW

METER-MAN®
by KOMELON®

KOMELON Corporation

The world's most vertically integrated measuring tape manufacturer. From our raw material manufacturing plant to global marketing and distribution, KOMELON handles it all with the most advanced and innovative R & D technology. This assures our customers the highest quality products available.

For over 50 years, Komelon has manufactured a full line of quality measuring tools with dedication and a passion for craftsmanship while supplying markets throughout the world.

Komelon Corporation - Korea, since 1963

This is the corporate headquarters housing all product design, engineering and research & development. This facility also manufactures the Meter-Man Measuring wheel line.

Komelon Steel Corporation - Korea, since 1995

Komelon manufactures its own steel strip material for all blades and springs used in tape measure production. This ensures the highest quality tape measures on the market.

Komelon China, since 2002

This state-of-the-art measuring tool manufacturing facility, located in Qingdao, China was recently built to better serve Komelon's rapidly growing worldwide sales.

Komelon USA Division, since 1997

This sales and distribution center for North America warehouses high inventory levels to ensure fast shipments and superior customer service.

Komelon SAW - Korea, since 2012

Komelon Saw manufacturing facility located in Daegu, S.Korea is an industry leading manufacturer of high end pruning saws



KOMELON Corporation



KOMELON Steel



KOMELON China



KOMELON USA Division





KOMELON Saw - Korea

Contents

PowerBlade Tapes

See Page 4 ~ 6

- PowerBlade™II 
- Magnetic PowerBlade™II 
- ABS PowerBlade™

Stainless Steel Tapes

See Page 7

- Stainless Steel Gripper™, Stainless Steel Self Lock™

Magnetic Tapes

See Page 8 ~ 11

- Magnetic Information
- Monster MagGrip™, MagGrip™
- Neo MagGrip™, MagGrip Gripper™

Self Lock Tapes

See Page 12 ~ 13

- Self Lock™Evolution 
- Self Lock™, Chrome Self Lock™, Speed Mark Self Lock™

Power Tapes

See Page 14 ~ 20

- Big John™ & Mighty Mite™
- Chrome The Professional™ , The Professional™
- Gripper™ HV, Speed Mark™
- Gripper™Speed Mark™, Gripper™
- Power Tape™, The Tradesmen™
- Colours™, Touch Lock™

Fiberglass Tapes

See Page 21

- Fast Back™, Fiber Reel(open) 

Long Steel Tapes

See Page 22 ~ 24

- Metal Frame Steel Reel, Steel Reel
- Steel Fast Back™, Gripper™
- Long Steel Information

Engineer Scale Series

See Page 25 ~ 26

Inch/Metric Scale Series

See Page 27 ~ 28

Flat Tape, Torch Safe, Markers, Keychain

See Page 29 ~ 30

Private Label Program

See Page 31

Measuring Wheels

See Page 32 ~ 36

Pruning Saws

See Page 37 ~ 42

NEW

POWERBLADE™



Introducing our Newest Power Blade that features the New Komelon High-Viz Blade. The High-Viz paint color makes this tape very easy to read in all types of light. It also features larger printing. This Power Blade has been redesigned to be more compact and easier to handle.



- New ultra compact wide blade tape
- New high-viz blade color
- Large read numbers
- Wider blade for added stand out
- Printing on both sides of blade with dual end hook



Horizontal graduations on front




Vertical graduations on back

ITEM NO.				QTY.	LBS.	CU FT.	
81416	16 ft.	1 1/16 in	6	24	22.9	0.88	6 50056 81416 0
81425	25 ft.	1 1/16 in	6	24	30.3	0.88	6 50056 81425 2
81430	30 ft.	1 1/16 in	6	24	35.2	0.95	6 50056 81430 6

NEW

MAGNETIC TIP POWERBLADE™ II

The new & re-designed Power Blade also comes with our patented magnetic end hook




- New ultra compact wide blade tape
- New high-viz blade color
- Large read numbers
- Wider blade for added stand out
- Printing on both sides of blade
- Magnetic dual end hook allows for easier one person measurement






U.S.PAT. 6,678,967 D486,086



Horizontal graduations on front



Vertical graduations on back

ITEM NO.				QTY.		CU FT.	
72425	25 ft.	1 1/16 in	6	24	30.4	0.88	6 50056 72425 4


ABS POWERBLADE™



- Wider blade for added stand out
- High impact ABS case
- Durable heavy duty coating
- Large, flared dual end hook



Horizontal graduations on front



Vertical graduations on back

ITEM NO.				QTY.	LBS.	CU FT.	
51416	16 ft.	1 1/16 in	6	24	24.2	0.90	6 50056 51416 9
51425	25 ft.	1 1/16 in	6	24	32.2	0.90	6 50056 51425 1
51430	30 ft.	1 1/16 in	6	24	37.1	0.98	6 50056 51430 5
51435	35 ft.	1 1/16 in	6	24	39.5	0.98	6 50056 51435 0

Stainless Steel Gripper™


Why does someone need a stainless steel tape measure?

All metallic components of Komelon's Stainless Steel Gripper are stainless steel to resist rusting and extend the life of the tape. These tapes are ideal for working in wet or dirty conditions and have a non glare silver blade.



- Durable rubberized case for easy grip
- Slide lock holds blade firmly
- Non glare silver blade
- Built in stainless steel spring
- Stainless steel blade and end hook

Non glare silver blade



ITEM NO.				QTY.	LBS.	CU FT.	
SS116	16 ft.	1 in.	4	24	18.5	0.77	6 50056 03416 2
SS125	25 ft.	1 in.	4	24	28.0	0.80	6 50056 03425 4
SS130	30 ft.	1 in.	4	24	30.3	0.87	6 50056 03430 8

Stainless Steel Self Lock™

The Stainless Steel Self Lock combines two great features into one unique tape measure. Not only does this tape have the self locking feature of our #1 selling tape, it also is made with stainless steel components to help prevent rusting and extend the life of the tape.



- Durable chrome case with protective rubber
- Easy to work thumb push button
- Automatic blade lock
- Non glare silver blade
- Built in stainless steel spring
- Stainless steel blade and end hook

Non glare silver blade



ITEM NO.				QTY.	LBS.	CU FT.	
SLSS125	25 ft.	1 in.	4	24	27.0	0.79	6 50056 10125 3



KOMELON Magnetic Tapes

KOMELON offers a complete tape measure line with magnetic tips, which allows for easier one person measurement. Magnetic tapes are the ideal measuring tool for Electricians, Plumbers, Drywallers, Framers, Welders, HVAC (heating, ventilation and air conditioning) Installers, Steamfitters, and anyone working with ferrous metals.

The powerful magnetic tip holds the tape measure firmly in place on iron and steel surfaces. The magnet is strong enough to keep the end hook positioned either horizontally or hanging vertically.

※Note : Magnetic strength will vary with different types of metal surfaces.


KOMELON is the exclusive manufacturer of worldwide patented magnetic tip which has been granted **U.S.PAT.6,678,967 , D486,086**.




Zero commencement of the magnetic tip



The tape still achieves accurate inside and outside measurements. Zero commencement is inside of the hook.




Hanging




Pulling

When hanging and pulling magnet, deduct 1/16 inch from the measurement.



Long tapes



Global hook

When using magnet, - Add 0.078 inch from the measurement.

Ring with fold-in claw to simplify measuring work.

※Magnet - Add 0.078 inch ※Ring - Add 1 inch



Monster MagGrip™

Komelon's unique patented magnetic end hook holds firmly on most metal surfaces and makes one person measuring easier. This is the perfect tape for anyone working with or around metal.



- Impact resistant rubberized case
- Nylon coated blade
- Magnetic dual end hook

Horizontal graduations on front



Vertical graduations on back



U.S.PAT. 6,678,967 D486,086

ITEM NO.				QTY.	LBS.	CU FT.	
7116	16 ft.	1 in	4	24	17.8	0.77	6 50056 07116 7
7125	25 ft.	1 in	4	24	25.3	0.80	6 50056 07125 9
7125IE	25 ft.	1 in	4	24	25.3	0.87	6 50056 71255 8
7130	30 ft.	1 in	4	24	28.0	0.80	6 50056 07130 3

IE = Inch/Engineer Scale * 7125IE is not printed on both sides

MagGrip™



- Rubber jacket to protect case
- Compact case
- Nylon coated blade
- Magnetic end hook

Large read numbers



U.S.PAT. 6,678,967 D486,086

ITEM NO.				QTY.	LBS.	CU FT.	
7416	16 ft.	1 in	4	24	20.0	0.86	6 50056 07416 8
7425	25 ft.	1 in	4	24	24.0	0.89	6 50056 07425 0
7425IM	25 ft./7.5m	1 in	4	24	24.0	0.89	6 50056 74250 0
7430	30 ft.	1 in	4	24	31.0	0.99	6 50056 07430 4

IM = Inch/Metric Scale

Neo MagGrip™



- Compact case design
- Hi Visibility neon yellow color
- Acrylic coated blade
- Pause button on bottom to hold tape
- Magnetic end hook

Fractional graduations on blade



U.S.PAT. 6,678,967 D486,086

ITEM NO.				QTY.	LBS.	CU FT.	
7325	25 ft.	1 in	4	24	25.5	0.71	6 50056 07325 3
7330	30 ft.	1 in	4	24	31.5	0.74	6 50056 07330 7

MagGrip Gripper™



- Rubber jacketed case fits comfortably in hand
- Folding rewind crank for fast reliable retrieval
- Nylon coated blade
- Magnetic end hook



U.S.PAT. 6,678,967 D486,086

ITEM NO.				QTY.	LBS.	CU FT.	
7100	100 ft.	3/8 in	6	24	27.0	1.09	6 50056 07100 6

NEW

SELF LOCK™ EVOLUTION


Komelon is taking our best-selling tape series to a whole new level. The Evolution is loaded with never before seen features on a self-lock. This tape measure is equipped with our new high-viz blade, a dual end hook, and back side printing on the blade.



- Automatic blade lock
- Easy to work thumb push button retrieval
- Nylon coated blade for maximum durability
- Ergonomically designed case
- High-viz blade color
- Dual end hook
- Printed on both sides of blade



Horizontal graduations on front



Vertical graduations on back

ITEM NO.				QTY.	LBS.	CU FT.	
EV28116	16 ft.	1 in.	4	24	19.6	0.80	6 50056 03816 0
EV2825	25 ft.	1 in.	4	24	27.1	0.89	6 50056 03825 2
EV2830	30 ft.	1 in.	4	24	30.7	0.89	6 50056 03830 6

SELFLOCK™ Komelon's #1 selling tape Series

U.S.PAT. 6,595,451



- Easy to work thumb push button
- Automatic blade lock
- Nylon coated blade



Standard blade



- Chrome case
- Easy to work thumb push button
- Automatic blade lock
- Large read printed scale is 30% larger than regular scale
- Non glare silver blade




Large Read Blade

Classic



- Yellow ABS case with protective rubber
- Easy to work thumb push button
- Automatic blade lock
- Fractional graduations for easy read and accurate measurement



Printed Fractional Graduations

Speed Mark

ITEM NO.				QTY.	LBS.	CU FT.	
SL2812	12 ft.	5/8 in.	4	24	11.0	0.65	6 50056 02812 3
SL2816	16 ft.	3/4 in.	4	24	15.0	0.70	6 50056 02816 1
SL28116	16 ft.	1 in.	4	24	18.5	0.79	6 50056 28116 0
SL2825	25 ft.	1 in.	4	24	26.0	0.79	6 50056 02825 3
SL2825IE	25 ft.	1 in.	4	24	26.0	0.79	6 50056 12825 0
SL2830	30 ft.	1 in.	4	24	29.6	0.99	6 50056 02830 7
SL225	25 ft.	1 in.	4	24	28.0	0.82	6 50056 00225 3
SL212IM	12 ft./3.5m	5/8 in.	4	24	13.0	0.65	6 50056 50212 8
SL225IM	25 ft./7.5m	1 in.	4	24	27.0	0.94	6 50056 50225 8
SL2912	12 ft.	5/8 in.	4	24	10.5	0.65	6 50056 02912 0
SL29116	16 ft.	1 in.	4	24	18.5	0.79	6 50056 29116 9
SL2925	25 ft.	1 in.	4	24	26.0	0.79	6 50056 02925 0

IE = Inch/Engineer Scale, IM = Inch/Metric Scale

Big John & Mighty Mite



- Ultra compact 25' case
- Compact 35' chrome case fits comfortably in hand
- Positive lock holds blade securely
- Rich classic chrome look
- Nylon coated blade for maximum durability

Standard blade



ITEM NO.				QTY.	LBS.	CU FT.	
535C	35 ft.	1 in	4	24	31.0	0.87	6 50056 20325 4
525C	25 ft.	1 in	4	24	23.0	0.61	6 50056 20525 8

NEW

The Chrome Professional™

Komelon has taken our popular chrome Professional series tapes and made them even better. We have added a high-viz blade with large read printing to make this tape easier to read and mark with.



- Ergonomically designed chrome case
- Slide lock
- Nylon coated, high-viz blade
- Available in feet/inches, inch/engineer
- Large read blade

High viz blade



ITEM NO.				QTY.	LBS.	CU FT.	
410HV	10 ft.	5/8 in.	4	24	8.2	0.61	6 50056 01410 2
412HV	12 ft.	5/8 in.	4	24	10.2	0.61	6 50056 01412 6
416HV	16 ft.	3/4 in.	4	24	14.3	0.67	6 50056 01416 4
425HV	25 ft.	1 in.	4	24	25.0	0.75	6 50056 01425 6
430HV	30 ft.	1 in.	4	24	28.0	0.90	6 50056 01430 0
435HV	35 ft.	1 in.	4	24	31.0	0.90	6 50056 01435 5
425IEHV	25 ft.	1 in.	4	24	25.0	0.75	6 50056 42501 4
433IEHV	33 ft.	1 in.	4	24	29.0	0.90	6 50056 43301 9

IE = Inch/Engineer Scale

The Professional™



- Ergonomically designed ABS case
- Slide lock
- Nylon coated blade
- Available in feet/inches and inch/metric scales

Standard blade



ITEM NO.				QTY.	LBS.	CU FT.	
4912	12 ft.	5/8 in.	4	24	10.0	0.55	6 50056 04912 8
4916	16 ft.	3/4 in.	4	24	13.5	0.55	6 50056 04916 6
4925	25 ft.	1 in.	4	24	24.0	0.71	6 50056 04925 8
4930	30 ft.	1 in.	4	24	30.0	0.76	6 50056 04930 2
4933	33 ft.	1 in.	4	24	31.0	0.76	6 50056 04933 3
4912IM	12 ft./3.5m	5/8 in.	4	24	10.0	0.55	6 50056 49120 0
4916IM	16 ft./5m	3/4 in.	4	24	13.5	0.55	6 50056 49160 6
4925IM	25 ft./7.5m	1 in.	4	24	24.0	0.76	6 50056 49250 4
4930IM	30 ft./9m	1 in.	4	24	30.0	0.76	6 50056 49300 6


IM= Inch/Metric Scale





Gripper™ HV



- Ultra compact rubberized case
- Slide lock design holds blade firmly
- Non glare white blade
- Fractional graduations for easy read and accurate measurement

Printed Fractional Graduations



ITEM NO.				QTY.	LBS.	CU FT.	
4125	25 ft.	1 in.	12	24	24.4	0.65	6 50056 04125 2





Speed Mark™



- Ergonomic case design
- Durable ABS Plastic case
- Acrylic coated blade
- Speed Mark fractional scale on blade

Printed Fractional Graduations




ITEM NO.				QTY.	LBS.	CU FT.	
SM3912	12 ft.	5/8 in.	4	24	10.0	0.55	6 50056 39121 0
SM3916	16 ft.	3/4 in.	4	24	13.5	0.55	6 50056 39161 6
SM3925	25 ft.	1 in.	4	24	23.5	0.69	6 50056 39251 4

Gripper™ Speed Mark™



- Easy grip, thick rubber jacket
- Positive lock holds blade firmly
- Speed Mark fractional scale on blade

Printed Fractional Graduations



ITEM NO.				QTY.	LBS.	CU FT.	
SM5412	12 ft.	5/8 in.	4	24	11.0	0.55	6 50056 54121 9
SM5416	16 ft.	1 in.	4	24	18.5	0.76	6 50056 54161 5
SM5425	25 ft.	1 in.	4	24	26.0	0.76	6 50056 54251 3

Gripper™



- Easy grip, thick rubber jacket
- Ergonomic, compact case design
- Acrylic coated blade






ITEM NO.				QTY.	LBS.	CU FT.	
■ 5425	25 ft.	1 in	4	24	24.0	0.74	6 50056 40525 2
■ 5430	30 ft.	1 in	4	24	28.0	0.80	6 50056 05430 6
■ 5925	25 ft.	1 in	4	24	24.0	0.74	6 50056 90525 7
■ 5930	30 ft.	1 in	4	24	28.0	0.80	6 50056 05930 1
■ PG85	8 m	25 mm	10	40	45.0	1.30	8 803005 26910 4

PG85 : Metric Only

Power Tape™








- Durable ABS case
- Thick, high carbon steel blade
- Triple riveted end hook

ITEM NO.				QTY.	 LBS.	CU FT.	
3725	25 ft.	1 in.	4	24	22.5	0.70	6 50056 03725 5
3925	25 ft.	1 in.	4	24	22.5	0.70	6 50056 03925 9

The Tradesmen™



- High quality opening price point tape measure
- Bulk packed in 12 piece plastic display trays.

ITEM NO.				QTY.	 LBS.	CU FT.	
T3725	25 ft.	1 in.	12	48	45.0	1.15	6 50056 39252 1
T3925	25 ft.	1 in.	12	48	45.0	1.15	6 50056 37252 3

Colours™



- Assorted, eye catching transparent colors
- Compact case design
- Fractional graduations on blade

Printed Fractional Graduations



ITEM NO.				QTY.	LBS.	CU FT.	
3516	16 ft.	1 in.	4	24	17.0	0.65	6 50056 35162 7

Touch Lock™



- Small enough to fit in pocket or handbag
- Assorted, eye catching transparent colors
- Large center brake to hold blade at desired length
- Diameter scale on backside of blade.
- Strong magnetic back secures tape to metal surfaces like refrigerators, tool boxes and filing cabinets.

ITEM NO.				QTY.	LBS.	CU FT.	
3110	10 ft.	1/2 in.	6	36	11.3	0.49	6 50056 31100 3
3110D	10 ft.	1/2 in.	8	48	12.6	0.56	6 50056 31101 0



Fast Back™

- Heavy duty ABS frame
- Shock absorbing bumper
- 3 to 1 High speed rewind
- Double coated fiberglass blade - 8811
- Versatile end hook
- Nylon coated steel blade - N8200



3 to 1 High speed rewind

8811-Front



8811-Back



N8200-Front



ITEM NO.				QTY.	LBS.	CU FT.	
8811	100 ft.	1/2 in.	1	5	22.0	0.97	6 50056 18200 9
N8200	200 ft.	1/2 in.	-	3	7.0	0.60	6 50056 08811 0



NEW
Design

Fiber Reel

Standard Blade



Front



Back

Inch/Metric Blade



Front



Back

Engineer Blade



Ground Stake Included
Stake Locks into End Hook for Easier One Person Measuring

ITEM NO.				QTY.	LBS.	CU FT.	
6611	100 ft.	1/2 in.	-	5	8.8	0.98	6 50056 06611 8
6622	200 ft.	1/2 in.	-	5	12.1	1.30	6 50056 06622 4
6633	300 ft.	1/2 in.	1	5	19.9	1.44	6 50056 06633 0
6611IM	100ft./30m	1/2 in.	-	5	8.8	0.98	6 50056 66110 8
6622IM	200ft./60m	1/2 in.	-	5	12.1	1.30	6 50056 66220 4
66330IM	330ft./100m	1/2 in.	1	5	19.9	1.44	6 50056 66331 7
6100E	100 ft.	1/2 in.	1	5	19.9	0.85	6 50056 36100 8
6200E	200 ft.	1/2 in.	1	5	13.5	1.19	6 50056 36200 5

IM = Inch/Metric Scale, E = Engineer Scale

Metal Frame Steel Reel

- Heavy duty metal frame
- Quick release handle
- Nylon coated blade
- Available in feet/inches, inch/metric, and engineer scales
- Versatile end hook



ITEM NO.				QTY.	LBS.	CU FT.	
N6300	300 ft.	1/2 in.	1	5	43.0	1.21	6 50056 16300 8

Steel Reel

Komelon open reel steel features a nylon coated steel blade that will not stretch or distort. This high quantity measuring tool is a must for anyone that needs to be extremely accurate.



- Heavy duty ABS frame
- Durable folding handle and rubber hand grip
- Nylon coated blade



ITEM NO.				QTY.	LBS.	CU FT.	
N6100	100 ft.	1/2 in.	1	5	15.0	0.68	6 50056 16100 4
N6200	200 ft.	1/2 in.	1	5	22.0	0.81	6 50056 16200 1

Steel Fast Back™



- Compact, ergonomic case
- 3 to 1 High speed rewind



- Nylon coated blade
- Multifunction ring and claw end hook

ITEM NO.				QTY.	LBS.	CU FT.	
9201	100 ft.	3/8 in.	6	24	36.0	2.59	6 50056 09201 8

Gripper™

- Rubber jacketed case
- Nylon coated blade
- Available in feet/inches and inch/metric scales




ITEM NO.				QTY.	LBS.	CU FT.	
9905	50 ft.	3/8 in.	4	16	12.8	0.61	6 50056 09905 5
9901	100 ft.	3/8 in.	4	16	20.0	0.81	6 50056 09901 7
9901IM	100ft./30m	3/8 in.	4	16	20.0	0.81	6 50056 99010 9

IM = Inch/Metric Scale

KOMELON Long Steel Tapes

Long Steel Tapes are used by contractors, concrete workers, road construction crews and various other professionals who need accurate measurements.

• Blade Structure of KOMELON Long Steel Tapes




BLADE STRUCTURE OF KOMELON LONG STEEL TAPES

- a. High grade carbon steel
- b. Anti-rust phosphate surface treatment
- c. Strong baked on paint
- d. Transparent nylon coating
- e. Tough embossed finish

KOMELON Nylon coating is permanently bonded to the entire blade for maximum protection. Embossed finish adds durability and reduces glare.

• Features and Benefits



De-burred edges : The rough edges cause corrosion and rust. KOMELON steel tapes with de-burred edge treatment prevents the rough blade edges from causing early corrosion and cracking.



Nylon coating : The new KOMELON DURA NY-Coat™ nylon coating reduces wear and abrasion. Featuring an embossed finish for added protection and reduced glare. The rust-resistant nylon coating covers the entire blade surface, ensuring long lasting readability and durability.



Heavy duty case construction with impact resistant ABS case or frame. Built-in wire guard to protect case.




Durable rollers guide the blade and prevent twisting.



Versatile ring end hook
(Add 1 inch when measuring with the ring hook.)



Magnetic end hook allows for easier one person measurement. Available in MagGrip Gripper™



Zero commencement is inside of the hook. Add 0.078 inch when the magnetic tip is abbutted to a metal surface for an exact measurement.

ENGINEER SCALE SERIES



Magnetic Tape

- Magnetic end hook allows for easier one person measurement.
- Rubberized case protects end hook and button.

ITEM NO.					
7125IE	25 ft.	1 in.	4	24	6 50056 71255 8



Self Lock™

- Self locking mechanism
- Push button allows blade to be retracted smoothly.
- Nylon coated blade for maximum durability.

ITEM NO.					
SL2825 IE	25 ft.	1 in.	4	24	6 50056 12825 0

NEW



Professional™

- Ergonomic case fits comfortably in hand.
- Nylon coated blade for maximum durability.
- Hi Viz blade

ITEM NO.					
425IEHV	25 ft.	1 in.	4	24	6 50056 42501 4
433IEHV	33 ft.	1 in.	4	24	6 50056 43301 9





■ Inch/Engineer Scale (IE) - inch on top graduated in 1/16th", bottom graduated in 100th of a ft., with 10th of a ft. printed

ENGINEER SCALE SERIES

Fast Back™







- Geared rewind mechanism makes blade retrieval quicker.
- Double coated fiberglass tape for added durability.

ITEM NO.				QTY.	LBS.	CU FT.	
8811.	100 ft.	1/2 in.	-	5	7	0.60	6 50056 08811 0

Open Fiber Reel



- High impact resistant ABS case.
- Double coated blade for maximum durability.

ITEM NO.				QTY.	LBS.	CU FT.	
6611	100 ft.	1/2 in.	-	5	8.8	0.98	6 50056 06611 8
6622	200 ft.	1/2 in.	-	5	12.1	1.30	6 50056 06622 4
6633	300 ft.	1/2 in.	-	5	19.9	1.44	6 50056 06633 0
6100E	100 ft.	1/2 in.	-	5	19.9	0.85	6 50056 36100 8
6200E	200 ft.	1/2 in.	-	5	13.5	1.19	6 50056 36200 5

■ Engineer only (E)

INCH/METRIC SCALE SERIES

MagGrip™



- Large flared magnetic end hook for easier one person measurement.
- Impact absorbing rubber jacket protects case and end hook.
- Nylon coated blade for maximum durability.

ITEM NO.					
7425IM	25ft./7.5m	1 in.	4	24	6 50056 87250 0



The Professional™

- Ergonomically designed case provides easy to hold grip.
- Superior internal mechanism provides smooth operation.
- Nylon coated blade for maximum durability.

ITEM NO.					
4912IM	12ft./3.5m	5/8 in.	4	24	6 50056 49120 0
4916IM	16ft./5m	3/4 in.	4	24	6 50056 49160 6
4925IM	25ft./7.5m	1 in.	4	24	6 50056 49250 4
4930IM	30ft./9m	1 in.	4	24	6 50056 29300 4



Self Lock™

- Chrome case
- Easy to work thumb push button
- Automatic blade lock
- Large read printed scale is 30% larger than regular scale
- Non glare silver blade






ITEM NO.					
SL212IM	12ft./3.5m	5/8 in.	4	24	6 50056 50212 8
SL225IM	25ft./7.5m	1 in.	4	24	6 50056 50225 8

INCH/METRIC SCALE SERIES

Open Fiber Reel








- High impact resistant ABS case.
- Double coated blade for maximum durability.
- Shock absorbing rubber bumpers.

ITEM NO.				QTY.	 LBS.	CU FT.	
6611IM	100ft./30m	1/2 in.	-	5	8.8	0.98	6 50056 66110 8
6622IM	200ft./60m	1/2 in.	-	5	12.1	1.30	6 50056 66220 4
66330IM	330ft./100m	1/2 in.	1	5	19.9	1.44	6 50056 66331 7

Gripper™


- Ergonomically designed, rubber jacket case fits nicely in hands.
- Folding rewind crank.
- Nylon coated blade for maximum durability.




ITEM NO.				QTY.	 LBS.	CU FT.	
9901IM	100ft./30m	3/8 in.	4	16	20.0	0.81	6 50056 99010 9

Flat Tape


- Flat steel measuring tape with adhesive back
- Apply to any clean flat surface
- Can be cut to length



▷ Saw table



▷ Drafting table



▷ Workbench

ITEM NO.				QTY.	LBS.	CU FT.	
F12	12 ft.	1/2 in.	6	24	7	0.45	6 50056 00012 9

Torch Safe™

Utility Torch Holder

- Safely stow your torch at home or on the job
- Holds a 14.1oz / 400g Torch
- No more broken or bent torches






ITEM NO.	DESCRIPTION		QTY.	LBS.	CU FT.	
TS12	Utility Torch Holder	6	24	11.25	0.03	6 55348 89012 9

Speed-Mark™ PERMANENT MARKERS



- Permanent on most surfaces
- Fast drying, won't smudge
- Non toxic ink
- Fine point tip for easier writing
- Safety cap keeps ink from drying out






48pcs display individually

ITEM NO.	DESCRIPTION		QTY.		LBS.	CU FT.	
MK920	2 Fine point black marker / Blister	24packs	288packs	19.8	2.32	6 50056 00920 7	
MK948	48 pc canister black fine point	2cans/48ea	16cans/48ea	18.3	1.37	6 50056 00948 1	

Keychain Tape



- Chrome plated ABS case
- Slide lock
- Anodized aluminum quick-clip

ITEM NO.				QTY.		CU FT.	
4110	10 ft.	1/4 in.	20	160	33.0	1.67	6 50056 04101 6

Minimum Initial Order	288 Pieces
Plate Charge (standard label)	\$70.00
Re-Orders (minimum)	96 Pieces
Pricing	Regular Printed Price
Leadtime (see explanation)	Approx. 4 weeks
Packaging (call for details)	Packaging varies by model # 12 Piece display trays or 4 or 12 pc. boxes on clamshell

Additional Program Details:

- Offset printing and epoxy labels available at additional cost (call for details).
- Leadtime : Upon approval of artwork and placement of a minimum order it takes approximately 4 weeks to receive the labels. Your labels will then be kept on hand to support any re-orders.
- Labeling of all product will be done at Komelon USA upon receipt of labels.

Model #	DESCRIPTION	Pack
PB3925	25' x 1" yellow case, acrylic coated power tape.	12 / 48
PB3725	25' x 1" orange case, acrylic coated power tape.	12 / 48
PB5925	25' x 1" yellow Gripper, acrylic coated power tape.	4 / 24
PB5425	25' x 1" black Gripper, acrylic coated power tape.	12 / 24
PB4925	25' x 1" yellow ABS case, nylon coated power tape.	12 / 48
PB4930	30' x 1" yellow ABS case, nylon coated power tape.	4 / 24
PB4933	33' x 1" yellow ABS case, nylon coated power tape.	4 / 24
PB425	25' x 1" chrome case, nylon coated power tape.	12 / 48

pricing current as of 1/1/13

The above tapes are most commonly used for private labeling. For information about private labeling other models please contact our sales dept.



"Great for advertising, giveaways, or everyday items"

For any additional information or questions please contact our sales dept. at 262-524-8273 ext. 1043 or visit us on the web at www.komelonusa.com

A surveying wheel with a bright yellow body and black rim, mounted on a silver pole. A black control box is attached to the pole, featuring a digital display and buttons. The pole has a black handle at the top and a black clamp. The background is black.


METER-MAN[®]
by **KOMELON[®]**

**Wherever You Measure,
Get Noticed!**

6 Series

The revolutionary ML6 looks and performs like no other measuring wheel. Its wide-wheel stability, excellent balance, and light weight, all combine to offer the best smooth surface, indoor measuring available.

Applications include:
Interior Designer, Homeowners,
Indoor Contractors, Home Appraisers,
Insurance Adjusters



EXTRA LIGHTWEIGHT AND COMPACT


6 Series

Item No.	Diameter	Color			
ML6	2" (Feet/Inches)	Hi-Viz	1	6	6 55348 10200 0

12 & 18 Series

The 4" and 6" diameter measuring wheel is ideal for indoor measuring on smooth, hard surfaces. The 6" is large enough to be used outdoors on hard surfaces making it versatile. Both are lightweight and compact for convenience.

Applications Include:
Adjusters, Appraisers, Decorators,
Insurance Agents, Painters,
Realtors



NEW HI-VIZ SAFETY COLOR

12 Series

Item No.	Diameter	Color			
ML1212	4" (Feet/Inches)	Hi-Viz	2	8	6 55348 61212 7

18 Series


Item No.	Diameter	Color			
ML1810	6" (Feet/Tenths)	Hi-Viz	1	2	6 55348 61810 5
ML1812	6" (Feet/Inches)	Hi-Viz	1	2	6 55348 61812 9
ML18M	6" (Meters/DM)	Hi-Viz	1	2	6 55348 61800 6

12 Series Dual Wheel

Durable dual wheels offer stable, accurate measuring on hard indoor and outdoor surfaces. This model is light and compact for convenient use and storage.

Applications Include:

Adjusters, Appraisers, Carpet Installers, Decorators, Estimators, Insurance Agents, Painters, Realtors, Roofing, Law Enforcement.



Comfortable Pistol Grip

Adjustable Twist & Lock Handle

Polyvinyl Tread for Improved Traction

Accurate Gear Driven Counter with Push Button Reset

DW Series


Item No.	Diameter	Color			
MK1212-DW	Dual 4" (Feet/Inches)	Hi-Viz	1	4	6 55348 81213 8

Measure Marker

Now you can measure and mark as you walk with the Meter-Man Measure Marker. This handy measuring tool allows you to use the 5 digit counter to accurately measure while marking with the pull of a trigger.

Applications Include:

Athletic and Rec. Departments, Asphalt and Concrete Contractors, Estimating, Utilities, and many more...



5 digit Counter Measures up to 10,000 feet

Dual 6" Diameter Wheels for Added Stability

Standard Inverted Aerosol Paint Can (Not Included)

Measure Marker

Item No.	Diameter	Color			
MKMM12	6" (Feet/Inches)	Hi-Viz	1	2	6 55348 80613 7


31 & 45 Series

The 10" and 14.3" diameter wheels are the most popular wheels in the market place. The 10" is versatile enough for indoor and outdoor use, while the 14.3" is perfect for almost any outdoor use.

The wheels are covered with a composite tread to provide improved traction on smoother surfaces. These are the perfect wheel for almost any application.

Applications Include:

Athletic and Rec. Departments, Concrete and Asphalt Contractors, Estimating, Fencing, Grounds Maintenance, Irrigation, Surveying



Comfortable Pistol Grip Handle

Folding Shaft

Gear-Driven, 5 Digit Counter Reads up to 10,000 Feet

Accurate Gear Driven Counter with Push Button Reset

Polyvinyl Tread for Improved Traction

Kickstand Molded into Counter Housing



31 Series

Item No.	Diameter	Color			
MK3110	10" (Feet/Tenths)	Hi-Viz	1	2	6 55348 83110 8
MK3112	10" (Feet/Inches)	Hi-Viz	1	2	6 55348 83112 2
MK31M	10" (Meters/DM)	Hi-Viz	1	2	6 55348 83100 9

45 Series

Item No.	Diameter	Color			
MK4512	14.3" (Feet/Inches)	Hi-Viz	1	2	6 55348 84512 9
MK45M	14.3" (Meters/DM)	Hi-Viz	1	2	6 55348 84500 6

60 & 79 Series

The 19" and 25" diameter wheels are designed to be used in the roughest terrain and for measuring large areas. The 19" is covered with a composite tread which is also perfect for smooth surfaces, while the 25" has a polystyrene wheel that is more suited for very rough surfaces and is commonly used to compute acreage using the 6.6 foot circumference.

Applications Include(60 Series):

Athletic field and Rec. depts., Concrete and Asphalt Contractors, Estimating, Fencing, Grounds Maintenance, Survey

Applications Include(79 Series):

Agricultural, Conservation, Forestry, Utilities



Comfortable Pistol Grip

Folding Shaft

Magnifying Lens for Improved Readability

Accurate Gear Driven Counter with Push Button Reset

60 series

79 series

60 Series

Item No.	Diameter	Color			
MK6012	19" (Feet/Inches)	Hi-Viz	1	2	6 55348 86012 2
MK60M	19" (Meters/DM)	Hi-Viz	1	2	6 55348 86000 9

79 Series

Item No.	Diameter	Color			
MK7912	25" (Feet/Inches)	Black	1	2	6 55348 87912 4
MK79M	25" (Meters/DM)	Black	1	2	6 55348 87900 1



Electronic Measuring Wheel Series

The Electronic Measuring Wheel features easy to use electronic counters. These are easy-to-read LCD displays that show distances in feet or meters simply by pushing a button.

LCD Display


Shows six digits or four whole numbers and two decimals.

Operates in forward and reverse

Adjustable Twist and Lock Handle

Polyvinyl Tread for Improved Traction

Electronic Wheels Feature Electronic Counters Located at The End of The Handle Shaft



ON/CLR Button

This function key turns the electronics on when pressed once and clears the existing reading when pressed a second time. If the wheel controls are not operated for a period of three minutes, the unit will turn off to conserve battery life, but will continue to retain data.

M / FT

Select from 3 measuring modes:
Feet & Inches (000'00")
Feet & Hundredths of a foot (0000.00)
Meters & Centimeters (0000.00)

HLD/CLR

Pressing this button once holds the #1 or #2 reading. Pressing a second time clears the reading and hold.



#1 / #2

This button alternates the display between #1 or #2 data.

EW Series - Electronic Wheel

Item No.	Diameter	Color			
EW31	10"(Feet&Meter)	Hi-Viz	1	2	6 55348 90310 2

Pro 200 Series

The Pro200 is a true professional's measuring wheel. This 12.5" diameter wheel features sealed bearings, handle-mounted counter with "HOLD" button, adjustable handle, and cushioned grip.

This quality wheel has heavy duty construction and weight that makes it perfect for smooth surfaces as well as the roughest terrain.



Handle-Mounted Mechanical Counter with Push-Button Reset and "HOLD" A Button to Preserve Counter Reading

Non-Slip Cushioned Coated Pistol Grip

Adjustable Aluminum Handle

Non-Slip Monoprene Tread for Superior Traction on All Surfaces

Heavy Duty Construction Adds Weight to Avoid The Wheel from Bounce for More Accurate Measuring

Spring-Loaded kickstand

Pro200 Series

Item No.	Diameter	Color			
Pro200	125"PRO (Feet/Inches)	Hi-Viz	1	-	6 55348 20200 7
Pro200M	125"PRO (Meters/DM)	Hi-Viz	1	-	6 55348 20201 4



KOMELON SAW



SPEED CUT PRO

- Japanese SK4 High Carbon Steel For Extra Sharp Teeth & Maximum Blade Durability
- Tapered Blade
- Hard Chrome Plated
- Ergonomic Non-Slip Grip



SK4 high carbon steel for extra sharp teeth and maximum blade durability.



Tri-Edge performs clean and smooth cut without scratching the surface.



Rust resistant hard chromed blade made of SK4 or SK5 high carbon steel.



Ultra high frequency heated teeth are hardened, which increases the durability of the saw's cutting edge.










Tapered blade provides a smoother, faster cutting performance with the least amount of harm to the cut branch.



Replacement blades available.

FB series



ITEM NO.							
	L	TPI	TE	LBS.	QTY.	QTY.	LBS.
FB-180	7"/180mm	6.5	0.157"/4mm	0.46	4	24	16 6 50056 10180 2
FB-210	8"/210mm	6.5	0.157"/4mm	0.57	4	24	18.5 6 50056 10210 6
FB-240	9-1/2"/240mm	6.5	0.157"/4mm	0.66	4	24	21.5 6 50056 10240 3
FB-180B [Ⓡ]	7"/180mm	6.5	0.157"/4mm	0.09	-	-	-
FB-210B [Ⓡ]	8"/210mm	6.5	0.157"/4mm	0.11	-	-	-
FB-240B [Ⓡ]	9-1/2"/240mm	6.5	0.157"/4mm	0.12	-	-	-

[Ⓡ] Replacement Blade Only

FC series



ITEM NO.								
	L	TPI	FP-1	LBS.	QTY.	QTY.	LBS.	
FC-180	7"/180mm	6.5	0.157"/4mm	0.46	4	24	16	6 50056 13180 9
FC-210	8"/210mm	6.5	0.157"/4mm	0.55	4	24	19	6 50056 13210 3
FC-180B [Ⓡ]	7"/180mm	6.5	0.157"/4mm	0.09	-	-	-	-
FC-210B [Ⓡ]	8"/210mm	6.5	0.157"/4mm	0.55	-	-	-	-

[Ⓡ] Replacement Blade Only

PWC series



ITEM NO.								
	L	TPI	FP-1	LBS.	QTY.	QTY.	LBS.	
PWC-270	10-1/2"/270mm	6.5	0.157"/4mm	0.83	4	24	15.3	6 50056 22270 5
PWC-300	12"/300mm	6.5	0.157"/4mm	0.87	4	24	15.7	6 50056 22300 9
PWC-350	14"/350mm	6.5	0.157"/4mm	0.90	4	24	16.7	6 50056 22350 4
PW-270B [Ⓡ]	10-1/2"/270mm	6.5	0.157"/4mm	0.16	-	-	-	-
PW-300B [Ⓡ]	12"/300mm	6.5	0.157"/4mm	0.18	-	-	-	-
PW-350B [Ⓡ]	14"/350mm	6.5	0.157"/4mm	0.22	-	-	-	-

[Ⓡ] Replacement Blade Only

CWC series



ITEM NO.								
	L	TPI	FP-1	LBS.	QTY.	QTY.	LBS.	
CWC-330	13"/330mm	6.5	0.157"/4mm	0.95	4	24	27	6 50056 32330 3
CW-330B [Ⓡ]	13"/330mm	6.5	0.157"/4mm	0.25	-	-	-	-

[Ⓡ] Replacement Blade Only



SPEED CUT

- **Japanese High Carbon Steel**
- **Tapered Blade**
- **Hard Chrome Plated**
- **Ergonomic Non-Slip Grip**



Tri-Edge performs clean and smooth cut without scratching the surface.



Rust resistant hard chromed blade made of SK4 or SK5 high carbon steel.



Ultra high frequency heated teeth are hardened, which increases the durability of the saw's cutting edge.



Tapered blade provides a smoother, faster cutting performance with the least amount of harm to the cut branch.



Replacement blades available.

FE series



ITEM NO.								
		T"	T"	LBS.	QTY.	QTY.	LBS.	
FE-180	7"/180mm	6.5	0.157"/4mm	0.46	4	24	16	6 50056 11180 1
FE-220	8-1/2"/220mm	6.5	0.157"/4mm	0.53	4	24	19	6 50056 11220 4
FE-180B [Ⓡ]	7"/180mm	6.5	0.157"/4mm	0.09	-	-	-	-
FE-220B [Ⓡ]	8-1/2"/220mm	6.5	0.157"/4mm	0.12	-	-	-	-

[Ⓡ] Replacement Blade Only

FEC series



ITEM NO.								
	L	T ¹ / ₂ "	F-P-I	LBS.	QTY.	QTY.	LBS.	
FEC-180	7"/180mm	6.5	0.157"/4mm	0.46	4	24	17	6 50056 14180 8
FEC-180B [Ⓡ]	7"/180mm	6.5	0.157"/4mm	0.09	-	-	-	-

[Ⓡ] Replacement Blade Only

PEC series



ITEM NO.								
	L	T ¹ / ₂ "	F-P-I	LBS.	QTY.	QTY.	LBS.	
PEC-270	10-1/2"/270mm	6.5	0.157"/4mm	0.74	4	24	22	6 50056 20270 8
PEC-300	12"/300mm	6.5	0.157"/4mm	0.77	4	24	22.6	6 50056 20300 2
PEC-350	14"/350mm	6.5	0.157"/4mm	0.80	4	24	23.5	6 50056 20350 7
PE-270B [Ⓡ]	10-1/2"/270mm	6.5	0.157"/4mm	0.16	-	-	-	-
PE-300B [Ⓡ]	12"/300mm	6.5	0.157"/4mm	0.17	-	-	-	-
PE-350B [Ⓡ]	14"/350mm	6.5	0.157"/4mm	0.22	-	-	-	-

[Ⓡ] Replacement Blade Only

CEC series



ITEM NO.								
	L	T ¹ / ₂ "	F-P-I	LBS.	QTY.	QTY.	LBS.	
CEC-330	13"/330mm	6.5	0.157"/4mm	0.85	4	24	25	6 50056 30330 5
CE-330B [Ⓡ]	13"/330mm	6.5	0.157"/4mm	0.25	-	-	-	-

[Ⓡ] Replacement Blade Only

FS series



ITEM NO.								
		T ^{1/2} "	K ^{1/2} "	LBS.	QTY.	QTY.	LBS.	
FS-180	7"/180mm	6.5	0.157"/4mm	0.40	12	24	12.2	6 50056 12180 0
FS-180B [Ⓡ]	7"/180mm	6.5	0.157"/4mm	0.08	-	-	-	-

Bulk Packaging Replacement Blade Only

PS series



ITEM NO.								
		T ^{1/2} "	K ^{1/2} "	LBS.	QTY.	QTY.	LBS.	
PS-270	10-1/2"/270mm	6.5	0.157"/4mm	0.72	6	24	14.5	6 50056 21270 6
PS-300	12"/300mm	6.5	0.157"/4mm	0.75	6	24	15.6	6 50056 21300 0
PS-350	14"/350mm	6.5	0.157"/4mm	0.77	6	24	16.8	6 50056 21350 5
PS-270B [Ⓡ]	10-1/2"/270mm	6.5	0.157"/4mm	0.16	-	-	-	-
PS-300B [Ⓡ]	12"/300mm	6.5	0.157"/4mm	0.18	-	-	-	-
PS-350B [Ⓡ]	14"/350mm	6.5	0.157"/4mm	0.22	-	-	-	-

Bulk Packaging Replacement Blade Only

CS series



ITEM NO.								
		T ^{1/2} "	K ^{1/2} "	LBS.	QTY.	QTY.	LBS.	
CS-330	13"/330mm	6.5	0.157"/4mm	0.82	6	24	20.5	6 50056 31330 4
CS-330B [Ⓡ]	13"/330mm	6.5	0.157"/4mm	0.25	-	-	-	-

Bulk Packaging Replacement Blade Only



USA Division

BUSINESS TERMS

PRICES:

Subject to change without notice. Orders accepted only on the basis of prices in effect on date of shipment. All prices shown reflect individual unit price.

PAYMENT TERMS:

Terms are Net 30 days.

MINIMUMS:

Minimum order for all accounts is \$250. - Tape measures + wheels
Minimum order for all accounts is \$150. - Pruning saws only

FREIGHT:

Prepaid at \$500.00 net within the continental U.S. and \$750 to Canada - Tape measures + wheels
Prepaid at \$150.00 within the continental U.S. and \$250 to Canada - Pruning saws only

Prepaid at \$2500.00 net Alaska, Hawaii, Puerto Rico.

PACKAGING :

Weight shown on the packing slip is based on current policy and can change without notice.
In the event of a shortage or other discrepancy, the weight of the shipment will govern.

KOMELON USA DIVISION RESERVES THE RIGHT TO INCREASE OR DECREASE THE QUANTITY AS ORDERED TO NEAREST INNER PACK OR MASTER PACK QUANTITY FOR SHIPMENT.

RETURN POLICY :

KOMELON USA DIVISION Products are not to be returned unless prior authorization has been received from our sales department. Wholesalers and dealers are not authorized to make replacements.

When returns have been authorized, they should be sent to:

KOMELON USA DIVISION 301 Commerce Place Waukesha, WI 53186-1045

RETURNS MUST BE SENT FREIGHT PREPAID

Credit for authorized returned will be issued at the products current value less applicable return freight costs and packaging.

ORDERING INFORMATION :

KOMELON USA DIVISION 301 Commerce Place Waukesha, WI 53186-1045
Phone: (262) 524-TAPE (8273), Fax: (262) 524-8293
Customer Service Order Dept.: 1-888-396-TAPE (8273)

MAILING ADDRESS :

P.O. Box 1045
Waukesha, WI 53187-1045

MANUFACTURING HEADQUARTERS:

KOMELON CORP.
P.O. Box SAHA 50, Janglim-2dong, Saha-ku, Busan
Korea Phone: (82)-51-290-3100, Fax: (82)-51-290-3119
<http://www.komelonusa.com>

PAYMENT REMITTANCE:

KOMELON USA DIVISION
301 Commerce Place
P.O. Box 1045
Waukesha, WI 53187-1045
<http://www.komelonusa.com>

CONTACT US AT :

sales@komelonusa.com

SEE US AT :

www.komelonusa.com

KOMELON®

USA Division



KOMELON® USA Division

301 COMMERCE PLACE, P.O. BOX 1045 WAUKESHA, WISCONSIN 53186-1045
PH. 262/524-TAPE (8273) TOLL FREE 1-888/396-TAPE (8273) FAX : 262/524-8293
E-mail : sales@komelonusa.com www.komelonusa.com

Printed in KOREA FEBRUARY, 2013 graphic designed by Junny